

Crimping tool PZ 6 Roto

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-2083
www.weidmueller.com



Crimping tools for wire end ferrules, with and without plastic collars

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

General ordering data

Order No.	9014350000
Type	PZ 6 Roto
Version	Crimping tool, Crimping tool for wire-end ferrules, 0.14 mm², 6 mm², Trapezoidal crimp
GTIN (EAN)	4008190406615
Qty.	1 pc(s).

Crimping tool PZ 6 Roto

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-2083
www.weidmueller.com

Technical data

Dimensions

Length	200 mm	Weight	428 g
--------	--------	--------	-------

Technical data

Version	Mechanical, without interchangeable inserts
---------	---

Contact description

Type of contact	Wire-end ferrules with/without plastic collars	Crimping range, min.	0.14 mm ²
Crimping range, max.	6 mm ²		

Tool data - crimping

Crimping type/profile	Trapezoidal crimp	Wire end ferrules cross-section, min.	0.14 mm ²
Wire end ferrules cross-section, max.	6 mm ²		

Classifications

ETIM 2.0	EC000168	ETIM 3.0	EC000168
ETIM 4.0	EC000168	UNSPSC	23-17-16-04
eClass 4.1	21-04-03-01	eClass 5.1	21-04-03-01
eClass 6.0	21-04-38-90		

Approvals

Approvals	GOSTT402
-----------	----------

Product information

Note, accessories	Information and ordering data for wire end ferrules - see chapter J accessories wire end ferrules
Description of article	Crimping tool for wire end ferrules with/without plastic collar, 0.14 to 6 mm ²
Product description	• Only one die for the whole cross-section range • Rotating die enables wire-end ferrule insertion from the front or side

Crimping tool PZ 6 Roto

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-2083
www.weidmueller.com

Drawings

