




SEALED POLYCARBONATE AND ABS ENCLOSURES



POLYCARBONATE MATERIAL:
MOULDED IN : LIGHT GRAY.
OPERATING TEMPERATURE: -40°C TO 120°C
CLEAR LID IS AVAILABLE ON REQUEST.

HIGH IMPACT ABS MATERIAL
MOULDED IN :DARK GRAY.
OPERATING TEMPERATURE: -20°C TO 80°C

- THE LID AND BASE INCORPORATE A TONGUE AND GROOVE SEALING SYSTEM WITH A NEOPRENE GASKET.
- WALL MOUNTING HOLES AND LID FIXING SCREWS ARE OUTSIDE THE SEALING AREA THUS PREVENTING THE INGRESS OF MOISTURE AND DUST.
- DESIGNED TO IP 65 OF IEC 529 AND NEMA 4 (DUST AND HOSEPROOF).
- AVAILABLE WITH CLEAR OR LIGHT GRAY LIDS.
- INTERNAL GUIDE SLOTS FOR MOUNTING PCB ASSEMBLIES VERTICALLY.
- BOSSES ON INTERNAL BASE ALLOW FIXING OF PCB'S HORIZONTALLY OR CONNECTION OF TERMINALS, ETC INTO THREADED BRASS INSERTS.



LID FIXING SCREW ARE M4 STAINLESS STEEL (NON-MAGNETIC) INTO THREADED BRASS INSERTS.

MATERIAL			
POLYCARBONATE		ABS	
LIGHT GRAY	CLEAR LID	DARK GRAY	
STOCK NO.	STOCK NO.	STOCK NO.	EXTERNAL DIMENSION (mm)
G201	G201C	G302	64 × 58 × 35
G202		G303	184 × 36 × 35
G203	G203C	G304	115 × 65 × 40
G205	G205C	G308	115 × 65 × 55
G212	G212C	G311	115 × 90 × 55
G214	G214C	G313	171 × 121 × 55
G218	G218C	G317	222 × 146 × 55
G221	G221C	G331	115 × 90 × 80
G223	G223C	G340	171 × 121 × 80
G229	G229C	G346	195 × 80 × 55
G232	G232C	G353	222 × 146 × 75
G238	G238C	G378	265 × 185 × 95
G250	G250C	G362	52 × 50 × 35
G256	G256C	G366	82 × 80 × 55
G258	G258C	G368	160 × 80 × 55
G265	G265C	G369	160 × 80 × 85
G269	G269C	G373	200 × 120 × 75
G278	G278C	G386	120 × 120 × 60
G279	G279C	G387	120 × 120 × 90
G287	G287C	G396	160 × 160 × 60
G288	G288C	G399	160 × 160 × 90
G2018	G2018C	G3008	240 × 160 × 90
G2025	G2025C	G3019	240 × 160 × 120
G2029	G2029C	G3028	300 × 230 × 86
G2038	G2038C	G3031	300 × 230 × 111
G2058	G2058C	G3039	360 × 200 × 150


ORDERING INFORMATION:

ABOVE STOCK NUMBER ARE FOR POLYCARBONATE ENCLOSURES WITH LIGHT GRAY LIDS AND INCLUDE LID FIXING SCREWS,BRASS INSERTS AND NEOPRENE GASKET.
ADD THE FOLLOWING LETTERS AFTER THE ABOVE STOCK NUMBERS TO ORDER CLEAR LIDS(C).


EXTERNAL MOUNTING PLATE (4PCS)
MADE OF ABS
STOCK NO: MF-001DG, MF-001LG
(DARK GRAY COLOR)(LIGHT GRAY COLOR)

EXTERNAL HINGE KIT (2PCS)
MADE OF THERMOPLASTIC
STOCK NO: EMP-001


MF-001DG/MF-001LG




EMP-001




G202/G303




G2/G201




G304/G203




G308/G205




G311/G212




G313/G214




G317/G218




G331/G221




G340/G223




G346/G229




G353/G232




G362/G250




G378/G238




G36/G256




G368/G258




G369/G265




G373/G269




G386/G278




G387/G279




G396/G287




G399/G288




G3008/G2018




G3019/G2025



G3028/G2029



G3031/G2038



G3039/G2058

